


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




Biltmore Nursery

1903-1904
Washington, D.C.

1904

Biltmore to Nursery

WHOLESALE TRADE-LIST
SEASON OF 1903-1904



BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

THE BILTMORE NURSERY was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue, or trade-list, was issued. In this, our fifth published price-list, is offered all of the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents; our entire business being transacted from our office at Biltmore, North Carolina.

OUR LOCATION is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the Southern Alleghany region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

QUALITY OF STOCK unusually good in root-formation, thriftiness and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.

LANDSCAPE ARCHITECTS will find our stock particularly suited to the demands of forest, park and suburban planting.

PROPAGATING CAPACITY. Our greenhouses and coldframes cover an area of 40,000 square feet, which, in connection with seed-beds of more than six acres' extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings and transplanted plants.

NURSERYMEN will find the small plants particularly valuable for transplanting into nursery rows.

A CERTIFICATE from the State Entomologist will be sent with each shipment. The stock of the Biltmore Nursery was inspected on the 13th day of August, 1903, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

FUMIGATING HOUSE. We are prepared to fumigate with hydrocyanic acid gas all or any nursery stock when such request accompanies order.

PACKING. The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

BOXES, including packing and delivery to freight or express depots:

14	feet	long,	30	x	30	inches	\$3	25	each.
12	"	"	30	x	30	"	3	00	"
10	"	"	30	x	30	"	2	75	"
8	"	"	30	x	30	"	2	50	"
6	"	"	24	x	24	"	1	85	"

BALES, according to size, including delivery to nearest station, 15 cents to \$2.50.

DIRECTIONS FOR SHIPPING. In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

OUR RESPONSIBILITY. All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery or condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.

CLAIMS. Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay. All claims must be filed within ten days after arrival of shipments.

RATES. The prices in this list supersede all previous rates and apply to quantities specified, but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders.

TERMS CASH on or before delivery to forwarding agents, except that we extend credit to responsible patrons by agreement, subject to the following limitations:— Invoices executed during the autumn are due and payable on or before the 31st day of December following; those covering spring shipments are due and payable on or before June 1, 1904.

PACKING SEASON. We ship from October 1 to May 1, with slight interruptions during midwinter.

FREIGHT RATES in effect October 1, 1903, from Biltmore to several points are here shown.

ROUTE	—PER HUNDRED POUNDS TO—							
	BALTIMORE, MD.		PHILADELPHIA, PA.		NEW YORK, N. Y.		PROVIDENCE AND BOSTON.	
	CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water	37	50	40	55	40	55	45	60
All Rail	42	58	45	63	45	63	50	68

Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

BILTMORE NURSERY

TREES

“S” signifies seedlings not transplanted; “tr.” signifies stock has been transplanted

	Height	Per 10	100	1,000
Abies douglasi. See Pseudotsuga mucronata.				
Acer leucoderme, White-barked Maple tr.	10 to 12 in.	\$1 50		
“ nigrum, Black Sugar Maple tr.	1 to 2 ft.	50	\$4 00	
“ rubrum, Red Maple tr.	1 to 2 ft.	50	4 00	
“ saccharinum (<i>A. dasycarpum</i>), Silver Maple. tr.	3 to 4 ft.	1 00	8 50	
“ spicatum, Mountain Maple tr.	1 to 2 ft.	75	6 50	
“ tataricum, Tartarian Maple tr.	10 to 12 in.	75	6 50	\$50 00
Alnus incana, Speckled or Hoary Alder tr.	3 to 4 ft.	65	5 00	
Betula lutea, Yellow Birch tr.	2 to 3 ft.	65	5 00	40 00
“ “ tr.	3 ft.	75	6 00	
“ nigra, River Birch tr.	1 to 1½ ft.	50	4 50	
Biota. See Thuja.				
Carya. See Hicoria.				
Catalpa speciosa, Western Catalpa tr.	1 to 1½ ft.	50	4 50	
“ “ tr.	2 to 2½ ft.	60	5 00	
Cedrus deodara, Indian Cedar twice tr.	12 to 14 in.	2 50	20 00	
Celtis chinensis, Chinese Hackberry tr.	1 to 1½ ft.	1 50	10 00	
Cerasus. See Prunus.				
Cephalotaxus pedunculata, Japanese Yew, twice tr.	1½ to 2 ft.	2 50		
Cercis canadensis, Red-bud or Judas-tree . . . S.	1 to 1½ ft.		1 50	12 50
“ “ tr.	1 to 1½ ft.	50	4 50	40 00
“ “ twice tr.	2 to 2½ ft.	1 25	10 00	90 00
Chamaecyparis lawsoniana (<i>Cupressus</i>), Lawson's Cypress . twice tr.	1½ to 2½ ft.	2 00	17 50	
“ “ twice tr.	2½ to 3 ft.	2 50		
“ nootkatensis, Nootka Sound Cypress tr.	8 to 10 in.	1 00	9 00	
“ obtusa tr.	8 to 12 in.	1 00		
“ pisifera filifera (<i>Retinospora</i>) . . tr.	1 to 1½ ft.	1 50	12 50	
“ plumosa tr.	1½ to 2½ ft.	2 50	22 50	
“ aurea tr.	10 to 12 in.	1 50	12 50	
“ “ tr.	1½ to 2 ft.	2 50	22 50	
“ squarrosa tr.	1 to 1½ ft.	2 50	22 50	
“ thyoides andelyensis, Andely's Cedar tr.	8 to 12 in.	1 00	9 00	
“ “ variegata, Variegated White Cedar tr.	1 to 1½ ft.	2 50	22 50	
Chionanthus virginica, White Fringe tr.	8 to 12 in.	75	6 00	50 00
Cornus florida, White-flowered Dogwood . . . S.	8 to 14 in.		1 00	9 00
“ “ tr.	6 to 12 in.	40	3 50	20 00
“ “ tr.	1 to 1½ ft.	50	4 00	30 00
“ “ tr.	1½ to 2 ft.	60	5 00	40 00
“ “ twice tr.	2 to 2½ ft.	75	6 00	50 00
“ “ twice tr.	2½ to 3 ft.	1 00		
For other species, see Shrubs.				
Crataegus apiifolia, Parsley-leaved Thorn . . . tr.	8 to 10 in.	1 75	15 00	
“ biltmoreana, Biltmore Thorn tr.	1 ft.	1 75	15 00	
“ boyntoni, Boynton's Thorn tr.	1 to 1½ ft.	1 00	9 00	85 00
“ buckleyi, Buckley's Thorn tr.	1 to 1½ ft.	1 00	9 00	85 00
“ collina, Hillside Thorn tr.	1 to 1½ ft.	1 00	9 00	85 00

TREES, continued

	Height	Per 10	100	1,000
Crataegus cordata , Washington Thorn tr.	1 to 1½ ft.	\$1 00		
“ crus-galli , Cockspur Thorn S.	10 to 12 in.		\$2 00	
“ “ tr.	1 to 1½ ft.	1 00	9 00	\$85 00
“ “ twice tr.	2 to 2½ ft.	1 50	12 50	100 00
“ harbisoni , Harbison's Thorn tr.	1½ to 2 ft.	1 50	12 50	100 00
“ “ tr.	2½ to 3 ft.	1 75	15 00	
“ mollis , Downy-leaved Thorn tr.	2 to 3 ft.	1 75	15 00	
“ oxyacantha , White or May Thorn . tr.	8 to 12 in.		35 2 50	
“ punctata , Large-fruited Thorn S.	3 to 6 in.		2 00	10 00
“ “ tr.	1 to 1½ ft.	1 00	9 00	85 00
“ “ twice tr.	2½ to 3 ft.	1 50	12 50	100 00
“ spatulata , Small-fruited Thorn . . . tr.	1 to 1½ ft.	1 75	15 00	
“ tomentosa , Pear Haw tr.	1 ft.	1 00	9 00	
“ uniflora , One-flowered Thorn tr.	1 ft.	1 00		
“ viridis , Southern Haw tr.	1½ to 2½ ft.	1 00	9 00	85 00
Cryptomeria japonica , Cryptomeria tr.	1 to 2 ft.	1 50		
“ “ tr.	2 to 2½ ft.	1 75	15 00	
“ “ tr.	3 to 4 ft.	2 50	22 50	
Cupressus. See Chamæcyparis.				
Fraxinus biltmoreana , Biltmore Ash tr.	2½ to 3½ ft.	2 50	22 50	
“ lanceolata (<i>F. viridis</i>), Green Ash twice tr.	6 to 8 ft.	1 25	10 00	90 00
“ nigra , Black Ash tr.	1½ to 2½ ft.	50	4 50	40 00
“ pennsylvanica (<i>F. pubescens</i>), Red Ash. tr.	3 to 5 ft.	50	4 50	
“ “ twice tr.	7 to 10 ft.	1 50	12 00	110 00
Ginkgo biloba (<i>Salisburia adiantifolia</i>), Maid- enhair Tree tr.	1 to 2 ft.	75	5 00	
Gleditsia triacanthos , Honey Locust tr.	1½ to 2 ft.	60	5 00	
Halesia. See Mohrodendron.				
Hicoria aquatica (<i>Carya aquatica</i>), Water Hickory tr.	1 to 1½ ft.	1 00	7 75	
“ microcarpa (<i>Carya microcarpa</i>), Small- fruited Hickory tr.	4 to 6 in.	50	4 50	
“ minima (<i>Carya amara</i>), Bitternut S.	1 ft.	1 75	15 00	
“ “ tr.	8 to 12 in.	50	3 00	27 50
Juglans manchurica twice tr.	1½ to 2½ ft.	1 25	10 00	
“ nigra , Black Walnut S.	2 to 3 ft.			12 00
“ “ tr.	1 to 2 ft.	50	4 00	30 00
“ “ tr.	2 to 3 ft.	75	5 00	40 00
Juniperus. See Shrubs.				
Kœlreuteria paniculata , Varnish Tree S.	4 to 6 in.		2 50	15 00
“ “ tr.	8 to 12 in.		5 00	30 00
“ “ tr.	1 to 1½ ft.	75	6 50	60 00
“ “ tr.	1½ to 2 ft.	1 00	8 00	75 00
Magnolia conspicua soulangeana , Yulan . . . tr.	1 to 1½ ft.	2 00		
“ fœtida (<i>M. grandiflora</i>), Southern Magnolia pots	6 to 12 in.	2 00	17 50	
“ kobus , Japanese Magnolia tr.	1 to 1½ ft.	2 00	17 50	
“ obovata discolor (<i>M. purpurea</i>) . . . tr.	1 to 1½ ft.	1 50	12 50	
“ “ twice tr.	1½ to 2½ ft.	1 75	15 00	
“ watsoni , Watson's Magnolia tr.	1½ to 2 ft.	2 50		
Malus. See Pyrus.				
Mohrodendron carolinum (<i>Halesia tetraptera</i>), Silver Bell S.	3 to 4 in.		1 00	7 50
“ “ tr.	1 ft.		3 00	25 00
“ “ tr.	3 to 4 ft.	60	5 00	

TREES, continued

	Height	Per 10	100	1,000
Morus nigra , Black Mulberry tr.	8 to 12 in.	\$0 75	\$6 50	
“ tatarica , Russian Mulberry tr.	1 to 2 ft.	75	6 50	
Oxydendrum arboreum , Sourwood tr.	1 to 1½ ft.	50	4 00	
Phellodendron amurense , Chinese Cork Tree . . tr.	4 to 5 ft.	1 25	10 00	
Picea canadensis (<i>P. alba</i>), White Spruce . twice tr.	2 to 2½ ft.	1 50	12 50	
“ “ twice tr.	3½ to 4 ft.	2 50	22 50	
“ excelsa , Norway Spruce tr.	4 to 6 in.			\$10 00
“ “ tr.	8 to 10 in.			15 00
“ mariana , Black Spruce twice tr.	2 to 2½ ft.	2 50	22 50	
“ parryana (<i>P. pungens</i>), Rocky Moun- tain Spruce twice tr.	2 to 3 ft.	5 00		
Pinus laricio , Corsican Pine tr.	1½ to 2½ ft.	1 75	15 00	
“ monticola , Mountain White Pine . . twice tr.	1 to 1½ ft.	1 50	12 50	
“ strobus , White Pine. Specimens with balls tr, 10 ft., each, \$2.				
“ thunbergi , Thunberg's Pine twice tr.	3 to 4 ft.	2 00	17 50	
Platanus occidentalis , American Plane tr.	3 to 4 ft.	75	6 00	
“ “ thrice tr.	6 to 7 ft.	1 25	10 00	
“ “ thrice tr.	8 to 10 ft.	1 75	15 00	
Podocarpus . See Cephalotaxus .				
Prunus americana , Wild Yellow, or Red Plum . . tr.	1 to 1½ ft.	50	4 00	35 00
“ besseyi , Western Sand Cherry tr.	2 to 2½ ft.	2 50		
“ serotina , Wild Black Cherry tr.	2½ to 3½ ft.	50	4 50	
Pseudotsuga mucronata (<i>Abies douglasi</i>), Douglas' Spruce . . . tr.	1 to 1½ ft.	1 75		
“ “ twice tr.	2 to 3 ft.	2 50		
“ “ thrice tr.	3 to 4 ft.	4 00		
Pyrus arbutifolia . See Aronia , under Shrubs .				
“ baccata , Siberian Crab tr.	1 to 1½ ft.	65	5 00	45 00
“ Japonica . See Shrubs .				
“ nigra . See Aronia , under Shrubs .				
“ sinensis , Sand Pear tr.	3½ to 4½ ft.	1 25	10 00	
Quercus alba , White Oak S.	4 to 6 in.			7 50
“ coccinea , Scarlet Oak S.	5 to 8 in.			7 50
“ digitata (<i>Q. falcata</i>), Spanish Oak . . . S	6 to 10 in.	2 50		
“ imbricaria , Shingle Oak S.	6 to 8 in.			12 00
“ palustris , Pin Oak S.	4 to 8 in.			12 00
“ prinus , Chestnut Oak S.	4 to 8 in.			7 50
“ rubra , Red Oak S.	6 to 12 in.			7 50
Retinospora . See Chamæcyparis .				
Rhododendron . See Shrubs .				
Salisburia . See Ginkgo .				
Salix nigra , Black Willow tr.	1½ to 2 ft.		2 50	22 50
“ “ tr.	3 to 4 ft.	40	3 50	30 00
For other species, see Shrubs .				
Thuja occidentalis , American Arborvitæ tr.	1 ft.	1 00		
“ “ aurea tr.	1 to 1½ ft.	1 50	12 50	
“ “ aurea maculata tr.	1 to 1½ ft.	1 50	12 50	
“ “ fillicoides tr.	1 to 1½ ft.	1 50	12 50	
“ “ globosa tr.	8 to 12 in.	1 25	10 00	
“ “ “ twice tr.	3 to 3½ ft.	5 00	45 00	
“ “ “ twice tr.	4 to 5 ft.	7 50		
“ “ pyramidalis tr.	1 to 1½ ft.	1 50	12 50	
“ “ “ tr.	2 ft.	2 50	22 50	
“ “ White-tipped tr.	8 to 10 in.	1 25		
“ “ “ tr.	1½ ft.	1 75		

TREES, continued

	Height	Per 10	100	1,000
Thuja orientalis (<i>Biota</i>), Oriental Arborvitæ . . tr.	1 to 1½ ft.	\$1 50		
“ “ compacta tr.	1 to 1½ ft.	1 50		
Tsuga canadensis , Canadian Hemlock . . twice tr.	1 to 2 ft.	1 50	\$12 50	\$100 00
“ “ twice tr.	2½ to 3½ ft.	2 00	18 75	175 00
“ “ tr. specimens with balls, 8 to 10 ft. each, \$2.50.				
“ caroliniana , Carolina Hemlock tr. specimens with balls, 6 to 8 ft. each, \$3.50.				
Ulmus americana , American or White Elm. twice tr.	6 to 8 ft.	5 00		
“ “ twice tr.	10 to 12 ft.	7 50		

SHRUBS

“S” signifies seedlings not transplanted; “tr” signifies stock has been transplanted.

	Height	Per 10	100	1,000
Abelia chinensis (<i>A. rupestris</i>), Chinese Abelia . tr.	10 to 12 in.	\$0 75	\$6 00	\$55 00
“ “ twice tr.	1½ to 2 ft.	1 50	12 50	100 00
“ “ twice tr.	2½ to 3 ft.	1 75	15 00	125 00
“ “ tr. specimens with balls, 4 ft. each, \$2.				
Adelia acuminata (<i>Forestiera acuminata</i>), Pointed-leaved Adelia . . tr.	1 to 1½ ft.	50	4 00	30 00
“ “ tr.	3½ to 4½ ft.	65	5 50	50 00
“ ligustrina (<i>Forestiera ligustrina</i>), Privet- leaved Adelia tr.	1 ft.	50	4 00	30 00
“ “ tr.	1½ to 2½ ft.	65	5 50	
Althæa. See Hibiscus.				
Amorpha tennesseensis , Tennessee Indigo . . . tr.	6 to 10 in.	50	4 00	30 00
“ “ tr.	1 to 1½ ft.	60	5 00	40 00
Andromeda calyculata. See Chamædaphne.				
“ japonica. See Pieris.				
“ ligustrina. See Xolisma.				
“ polifolia , Wild Rosemary tr.	8 to 12 in.	75	5 00	
Aralia chinensis (<i>A. japonica</i>), Chinese Angelica . tr.	1 to 1½ ft.	1 25	10 00	
Aronia arbutifolia (<i>Pyrus arbutifolia</i>), Chokeberry. tr.	1 to 1½ ft.	75	6 50	60 00
“ “ tr.	1½ to 2 ft.	1 00		
“ nigra (<i>Pyrus nigra</i>), Black Chokeberry . tr.	1½ to 2 ft.	1 00	8 50	
Azalea amœna tr.	4 to 6 in.	2 50	20 00	
“ arborescens , Tree Azalea tr.	8 to 10 in.	75	6 00	50 00
“ “ tr.	1 ft.	1 00	8 50	80 00
“ lutea (<i>A. calendulacea</i>), Flame Azalea . tr.	4 to 6 in.	60	5 00	
“ nudiflora , Pinkster-Flower tr.	6 to 8 in.	75	6 00	
“ viscosa , Swamp Pink, or Honeysuckle . tr.	4 to 6 in.	50	4 50	40 00
Baccharis halimifolia , Groundsel-bush, or Pencil- tree tr.	1 ft.	50	4 00	
Berberis aquifolium , Mahonia tr.	1 to 1½ ft.	1 00	8 50	
“ asiatica , Asiatic Barberry tr.	1 ft.	1 00	8 00	
“ congestiflora , Chilean Barberry tr.	1 to 1½ ft.	1 50		
“ heteropoda , Turkeystan Barberry . . . tr.	1½ to 2 ft.	1 50	12 50	
“ newberti (<i>B. aquifolium</i> × <i>B. vulgaris</i>), Hybrid Barberry tr.	1 ft.	1 50		
“ repens , Trailing Mahonia tr.	6 to 8 in.	1 50	13 50	
“ sinensis , Chinese Barberry tr.	1 to 1½ ft.	1 00	8 50	
“ thunbergi , Japanese or Thunberg’s Bar- berry S.	8 in.			7 50
“ “ tr.	1 ft.	50	3 50	30 00
“ vulgaris , Common European Barberry . S.	1 ft.			7 50
Biota. See Thuja , under Trees.				
Buddleia intermedia (<i>B. japonica</i> × <i>lindleyana</i>), Hybrid Buddleia tr.	2½ to 3½ ft.	1 00	8 50	
Buddleia lindleyana , Chinese Buddleia tr.	2½ to 3½ ft.	1 00	8 50	
“ variabilis , Sweet-scented Buddleia . . tr.	2½ to 3 ft.	1 00	8 50	
Butneria fertilis (<i>Calycanthus lævigatus</i>), Smooth Strawberry Shrub tr.	1½ to 2 ft.	75	6 75	
Buxus sempervirens , Boxwood tr.	8 to 12 in.	50	4 50	
“ “ untrimmed, 4 times tr.	1½ to 2 ft.	4 00		

SHRUBS, continued

	Height	Per 10	100	1,000
Buxus sempervirens untrimmed, 4 times tr.	2 to 2½ ft.	\$5 00		
“ “ untrimmed, 4 times tr.	2½ to 3 ft.	6 00		
“ “ trimmed, 4 times tr., 2 to 3 ft., each, \$1.25 to \$1.75.				
“ “ angustifolia tr.	10 to 12 in.	50	\$4 50	
“ “ 4 times tr.	1½ to 2 ft.	4 00		
“ “ navicularis 4 times tr.	2½ to 3 ft.	6 00		
“ “ salicifolia tr.	6 to 10 in.	50	4 50	
“ “ 4 times tr.	2 to 2½ ft.	5 00		
“ suffruticosa , Dwarf Box 1 year tr.	4 to 6 in.		2 00	\$17 50
Calamintha . See Clinopodium .				
Callicarpa purpurea , Purple-fruited Callicarpa . tr.	1 to 1½ ft.	50	4 50	40 00
“ “ tr.	3 to 4 ft.	75	6 50	60 00
Calluna vulgaris , Scotch Heather tr.	6 to 8 in.	50	4 00	35 00
“ “ tr.	10 to 12 in.	75	6 50	
Calycanthus . See Butneria .				
Caragana chamlagu , Mongolian Pea Shrub . . tr.	10 to 12 in.	1 00	8 00	75 00
Cassandra . See Chamædaphne .				
Cephalanthus occidentalis , Button Bush tr.	2 to 2½ ft.	1 00	8 00	75 00
“ “ tr.	3 to 4 ft.	1 25	10 00	
Chamædaphne calyculata (<i>Cassandra calyculata</i>), Leather-leaf . tr.	8 to 10 in.	50	4 50	40 00
“ “ tr.	1 to 1½ ft.	1 00	8 50	
Citrus trifoliatu s, Hardy Lemon tr.	10 to 12 in.		3 00	20 00
“ “ tr.	1½ to 2½ ft.	50	4 50	
Clethra alnifolia , Sweet Pepper-bush tr.	8 to 10 in.		3 00	25 00
“ “ tr.	1 to 1½ ft.	50	4 00	35 00
“ “ tr.	1½ to 2 ft.	75	5 50	50 00
Clinopodium carolinianum (<i>Calamintha caroliniana</i>), Large-flowered Thyme tr.	10 to 12 in.	1 50	12 50	
Cornus amomum (<i>C. sericea</i>), Silky Dogwood . tr.	3 to 4 ft.	75	6 50	60 00
“ candidissima (<i>C. paniculata</i>), Panicked Cornel or Dogwood tr.	2 to 2½ ft.	75	6 50	
“ florida . See Trees .				
“ stolonifera , Red Osier Cornel tr.	1 to 1½ ft.	60	5 00	40 00
“ “ tr.	2 to 2½ ft.	75	6 50	60 00
“ “ tr.	3 ft.	1 25	10 00	
“ stricta , Stiff Dogwood S.	1½ to 2½ ft.	75	6 50	
Corylus americana , Hazel-nut tr.	1 to 1½ ft.	50		
“ “ tr.	3 to 4 ft.	1 00	8 50	
Cotoneaster affinis tr.	1 to 1½ ft.	1 00	8 50	
“ buxifolia (<i>C. hookeriana</i>), Box-leaved Cotoneaster. tr.	8 to 10 in.	75	6 75	
“ microphylla , Nepaulese Cotoneaster. tr.	8 to 10 in.	50	4 50	40 00
“ multiflora , Chinese Cotoneaster . tr.	2 to 3 ft.	1 00	8 00	75 00
Cratægus . See Trees .				
Cydonia . See Pyrus japonica .				
Desmodium penduliflorum . See Lespedeza , under Herbaceous Plants, etc.				
Deutzia crenata candidissima twice tr.	3 to 4 ft.	1 00	7 50	60 00
“ “ rosea tr.	1 to 1½ ft.	50	4 50	
“ “ “ twice tr.	2 to 3 ft.	75	6 00	50 00
“ “ “ twice tr.	3 to 4 ft.	1 00	7 50	60 00
“ gracilis , Slender Deutzia tr.	6 to 10 in.	60	5 00	40 00
“ scabra tr.	3½ to 4½ ft.	75	6 00	50 00
Diervilla diervilla (<i>D. trifida</i>), Bush Honeysuckle. tr.	1½ to 2 ft.	60	5 00	

SHRUBS, continued

	Height	Per 10	100	1,000
Diervilla floribunda (<i>Weigelia</i>) tr.	1 to 1½ ft.	\$0 50	\$4 50	\$42 50
“ “ tr.	2½ to 3½ ft.	1 25	10 00	
“ grandiflora , Rose tr.	1 to 1½ ft.	50	4 50	42 50
“ “ “ tr.	2½ to 3½ ft.	1 25	10 00	
“ “ Variegated tr.	1 to 1½ ft.	50	4 50	
“ “ “ tr.	2 to 2½ ft.	1 25	10 00	
“ “ White tr.	1 to 1½ ft.	50	4 50	42 50
“ “ “ tr.	3 to 4 ft.	1 25	10 00	
“ japonica tr.	1 to 1½ ft.	50	4 50	
“ “ tr.	2 to 3 ft.	1 25		
“ rivularis , Gattinger's Bush Honeysuckle. tr.	1 to 1½ ft.	50	4 50	
“ “ tr.	2 ft.	1 25		
“ sessilifolia , High Bush Honeysuckle . . tr.	1 to 1½ ft.	50	4 00	
“ “ tr.	2 to 3 ft.	75	6 00	
Eiæagnus longipes , Silver Thorn tr.	1 to 1½ ft.	60	5 00	
Erica stricta , Corsican Heath tr.	6 to 8 in.	1 00	8 50	75 00
“ vagans , Cornish Heath tr.	1 ft.	1 00	8 50	
Euonymus americanus , Strawberry Bush . . tr.	1½ to 2½ ft.	1 00	8 00	75 00
“ angustifolius , Narrow-leaved Spindle- tree tr.	8 to 12 in.	50	4 00	35 00
“ bungeanus , Bunge's Spindle-tree . . tr.	1 to 1½ ft.	75	6 50	
“ “ tr.	2 to 3 ft.	1 00	8 00	75 00
“ “ tr.	3 to 4 ft.	1 25	10 00	
“ japonicus , Japanese Euonymus . . . tr.	6 to 10 in.	50	4 00	35 00
“ radicans , Climbing Euonymus . . . tr.	8 to 12 in.	50	4 00	35 00
Exochorda grandiflora , Pearl Bush S.	1 to 2 ft.	75	5 00	
“ “ tr.	3 to 4 ft.	1 50	12 50	
Fontanesia phillyræoides tr.	2 to 3 ft.	1 25	10 00	85 00
Forestiera . See Adelia .				
Forsythia suspensa , Golden Bell tr.	1½ to 2½ ft.	50	4 50	40 00
“ “ tr.	3 to 4 ft.	75	5 00	
“ viridissima , Dark Green Forsythia . . . tr.	1 to 1½ ft.	40	3 50	30 00
“ “ tr.	2 to 3½ ft.	50	4 50	
“ “ tr.	4 to 4½ ft.	60	5 00	45 00
Fothergilla carolina , Small Fothergilla . . . tr.	6 to 10 in.	2 50	22 50	
Gaylussacia dumosa , Dwarf Huckleberry . . . tr.	6 to 8 in.	1 00	8 50	
Hamamelis virginiana , Witch Hazel tr.	8 to 10 in.	50	4 00	30 00
“ “ tr.	1 to 1½ ft.	75	6 00	55 00
“ “ tr.	2 to 3 ft.	1 00	8 50	75 00
Hibiscus syriacus (<i>Althæa</i>), Rose of Sharon, double and single forms, lilac, red, white, pink, rose, purple, vio- let, separate colors, tr.	8 to 12 in.	50	4 00	30 00
“ “ twice tr.	2 to 3 ft.	75	6 00	50 00
“ “ twice tr.	4 to 5 ft.	1 00	8 50	75 00
Hydrangea arborescens , Wild Hydrangea . . . tr.	1 to 1½ ft.	50	4 00	35 00
“ “ tr.	2 to 3 ft.	75	6 75	
“ hirta tr.	2 to 3 ft.	1 25	10 00	
“ hortensis , Garden Hydrangea, in varie- ties, 2 to 3 yrs. tr.		1 50	10 00	
“ paniculata , Panicked Hydrangea . . . tr.	1 to 1½ ft.	50	4 50	
“ “ tr.	2 to 3 ft.	75	6 00	
“ “ tr.	3 to 4 ft.	1 00	8 50	
“ “ grandiflora , Large-flowered Hydrangea tr.	1 to 1½ ft.	50	4 50	40 00
“ “ “ tr.	2 to 3 ft.	75	6 00	

SHRUBS, continued

	Height	Per 10	100	1,000
Hydrangea quercifolia , Oak-leaved Hydrangea . tr.	1 ft.	\$2 00	\$15 00	
“ “ tr.	1½ to 2 ft.	2 50	22 50	
“ radlata , Downy Hydrangea tr.	1 to 1½ ft.	50	4 00	
“ “ tr.	2 to 3 ft.	75	6 75	
“ “ tr.	3 to 4 ft.	1 25		
Hypericum aureum , Large-flowered St. John's-wort tr.	8 to 10 in.	75	6 00	
“ buckleyi , Buckley's St. John's-wort . tr.	3 to 4 in.	75	6 00	
“ densiflorum , Dense-flowered St. John's-wort tr.	1 ft.	40	3 50	\$30 00
“ elatum tr.	1 ft.	1 00	8 50	
“ glomeratum , Mountain St. John's-wort tr.	1 ft.	50	4 00	35 00
“ kalmianum , Kalm's St. John's-wort . tr.	1 to 1½ ft.	1 00	8 50	
“ nudiflorum , Naked-flowered St. John's-wort tr.	1 to 1½ ft.	60	5 00	
“ patulum tr.	1 ft.	75	6 50	
“ sphærocarpum . See Herbaceous Plants , etc.				
Ilex crenata , Japanese Holly tr.	6 to 8 in.	75	7 00	65 00
“ “ tr.	1 ft.	1 00	8 50	
“ verticillata , Black Alder tr.	1 to 1½ ft.	65	6 00	
Itea virginica , Virginia Willow tr.	1 to 1½ ft.	50	4 00	35 00
Jasminum humile (<i>J. reevesi</i>), Yellow Italian Jasmine tr.	3 to 4 ft.	75	6 50	
“ nudiflorum , Naked-flowered Jasmine . tr.	1 ft.	35	2 75	25 00
Juniperus chinensis , Chinese Juniper tr.	1 to 1½ ft.	2 00	17 50	
“ “ twice tr.	2 to 3 ft.	3 00	25 00	
“ “ procumbens twice tr.	2 ft.	2 50	20 00	
“ “ variegata twice tr.	2½ to 3 ft.	3 50		
“ communis hibernica , Irish Juniper . tr.	1½ to 2½ ft.	2 00	17 50	
“ “ suecica , Swedish Juniper . tr.	1 ft.	1 50	12 50	
“ “ tr.	1½ to 2 ft.	1 75	15 00	
“ nana (<i>J. communis alpina</i>), Prostrate Juniper tr.	1 ft.	1 50	10 00	85 00
“ rigida twice tr.	4 to 5 ft.	2 75	25 00	
“ “ twice tr.	5 to 6 ft.	3 00	27 50	
“ sabina prostrata , Dwarf Savin tr.	1 to 1½ ft.	1 50	10 00	
Kalmia latifolia , Calico-bush tr.	1½ to 2 ft.	3 50	32 50	
“ “ tr.	2½ to 3 ft.	4 00	37 50	
Leucothoe catesbæi , Catesby's Leucothoe . . pots	10 to 12 in.		3 00	25 00
“ racemosa , Swamp Leucothoe tr.	10 to 12 in.	40	3 50	30 00
“ “ tr.	1½ to 2½ ft.	75	6 50	60 00
Ligustrum ibota , Ibot Privet tr.	1½ to 2 ft.		2 50	20 00
“ “ tr.	2½ to 3 ft.	50	4 00	30 00
“ japonicum , Japanese Privet tr.	1 to 1½ ft.	65	5 00	
“ ovalifolium , California Privet tr.	1 ft.		2 50	17 50
“ “ tr.	1½ to 2 ft.	50	3 00	20 00
“ quihoui tr.	2½ to 3½ ft.	75	5 00	40 00
“ sinense , Chinese Privet tr.	2½ to 3½ ft.	50	4 00	30 00
Lonicera bella (<i>L. chrysantha</i> × <i>tatarica</i>), Hybrid Honeysuckle tr.	2 to 3 ft.	50	4 50	40 00
“ fragrantissima , Bush Honeysuckle . . tr.	2 to 2½ ft.	60	5 00	45 00
“ “ tr.	3 to 4 ft.	75	6 50	60 00
“ involucrata , Fly Honeysuckle tr.	1½ to 2½ ft.	75	7 00	

For other species, see Vines.

SHRUBS, continued

	Height	Per 10	100	1,000
Lycium vulgare , Matrimony Vine tr.	2½ to 3½ ft.	\$0 50	\$4 00	\$35 00
Myrica gale , Sweet Gale tr.	6 to 10 in.	1 00	8 50	
Neviusa alabamensis , Nevius' Fringe-bush . . tr.	2½ to 3 ft.	1 25	10 00	
Opulaster opulifolius (<i>Neillia</i> , or <i>Spiræa opulifolia</i>), Nine Bark tr.	1 to 1½ ft.		4 00	35 00
" " tr.	2 to 2½ ft.	50	4 50	40 00
" " tr.	5 to 7 ft.	1 25	10 00	
Philadelphus grandiflorus , Large-flowered Syringa tr.	2 to 3 ft.	60	5 00	
" " tr.	3 to 4½ ft.	75	6 00	50 00
" hirsutus , Hairy Syringa tr.	1½ to 2 ft.	50	4 00	
" " tr.	2 to 3 ft.	60	4 50	
" " tr.	3 to 4 ft.	75	5 00	
" inodorus , Scentless Syringa tr.	1½ to 2½ ft.	60	4 50	
" latifolius , Many-flowered Syringa. tr.	12 to 14 in.		4 50	40 00
" " tr.	1 to 2 ft.	75		
" " tr.	2½ to 3½ ft.	1 00	8 50	
" " lewisi , Western Syringa. tr.	2½ to 3½ ft.	1 00	8 50	
" " pekinensis , Chinese Syringa tr.	1 to 2 ft.	75	6 00	
Phillyrea angustifolia tr.	1 to 1½ ft.	50	4 50	
" " tr.	2 to 2½ ft.	75	6 00	50 00
Pieris japonica (<i>Andromeda japonica</i>) tr.	6 to 8 in.	1 00	8 50	
Potentilla fruticosa , Shrubby Cinquefoil . . . tr.	8 to 12 in.	50	4 50	
" tridentata . See Herbaceous Plants , etc.				
Prunus . See Trees .				
Ptelea trifoliata , Hop-tree S.	1 to 1½ ft.			7 50
" " tr.	1½ to 2½ ft.	60	5 00	
" " tr.	3 to 4½ ft.	75	6 00	
Pyrus arbutifolia and nigra . See Aronia .				
" japonica (<i>Cydonia japonica</i>), Japanese Quince tr.	6 to 9 in.			20 00
" " tr.	1 to 1½ ft.	50	4 00	35 00
" " tr.	1½ to 2 ft.	65	5 50	50 00
" " pygmæa , Dwarf Japanese Quince. tr.	1 ft.	65	5 00	
For other species, see Trees .				
Rhamnus caroliniana , Carolina Buckthorn . . . S.	6 to 12 in.		2 50	
" cathartica , Common Buckthorn . . . tr.	2 to 3 ft.	75		
" frangula , Alder Buckthorn tr.	3 to 3½ ft.	75	6 50	
Rhododendron maximum , Great Laurel, tr.	1½ to 2 ft.	3 50	32 50	
Rhodotypos kerrioides , White Kerria S.	1 to 1½ ft.			7 50
" " tr.	1 to 1½ ft.	50	4 50	40 00
" " tr.	3 to 4 ft.	1 00	8 50	
Rhus aromatica (<i>R. canadensis</i>), Sweet-scented Sumac tr.	8 to 12 in.	60	5 00	45 00
" " tr.	1 to 1½ ft.	75	6 75	60 00
" copallina , Upland Sumac tr.	2 to 3 ft.	1 00	8 50	75 00
" glabra , Smooth Sumac tr.	1½ to 2½ ft.	75	5 00	
" " tr.	3 to 4 ft.	1 00	7 50	
" michauxi , Dwarf Sumac tr.	10 to 12 in.	5 00		
Ribes aureum , Missouri Currant tr.	2 to 2½ ft.	75	6 50	
Rosa blanda , Meadow Rose tr.	1 to 2 ft.	60	5 00	45 00
" bracteata , McCartney Rose tr.	2 to 3 ft.	1 00	8 50	
" carolina , Swamp Rose tr.	1 to 1½ ft.	50	3 00	25 00
" Crimson Rambler tr.	1 ft.	1 25	10 00	

SHRUBS, continued

	Height	Per 10	100	1,000
Rosa multiflora , Japanese Climbing Rose S.	6 to 12 in.			\$7 50
“ “ tr.	1 to 2 ft.	\$0 60	\$5 00	45 00
“ “ tr.	3 to 5 ft.	75	6 50	
“ repens , European Field Rose tr.	3 to 4 ft.	1 00	7 50	
“ rugosa , Wrinkled Japanese Rose S.	12 to 16 in.			12 00
“ “ tr.	2 to 3 ft.	1 00	8 00	75 00
“ setigera , Prairie Rose tr.	1½ to 2 ft.	50	4 75	45 00
“ “ tr.	2½ to 3½ ft.	75	6 75	65 00
“ “ tr.	4 to 5 ft.	1 00	8 00	75 00
Rosa watsoni , Watson's Rose tr.	1 to 1½ ft.	1 00	8 50	
“ wichuraiana , Memorial, or Chinese Trailing Rose tr.	2 to 3 ft.	50	4 00	35 00
Rubus leucodermis , Western Raspberry tr.	1 to 1½ ft.	75	6 50	
“ “ tr.	2 to 3 ft.	1 00	8 50	
“ parviflorus (<i>R. nutkanus</i>), Salmon-berry . tr.	1½ to 2 ft.	1 00	8 50	
Salix incana , Rosemary Willow tr.	1½ to 2½ ft.	1 00	8 50	
“ nigra . See Trees .				
“ sericea , Silky Willow tr.	3 to 4 ft.	50	4 50	
Sambucus canadensis , Sweet Elder tr.	3 to 4 ft.	50	4 50	
Spiræa alba tr.	1½ to 2½ ft.	50	4 00	30 00
“ Anthony Waterer tr.	10 to 12 in.	50	4 50	40 00
“ arguta tr.	1 to 1½ ft.	50	4 50	
“ bumalda tr.	12 to 14 in.	50	4 00	
“ callosa . See S. Japonica .				
“ cantonensis plena (<i>S. reevesi</i>) tr.	1 to 2 ft.	50	4 50	40 00
“ “ tr.	3 to 4 ft.	75	6 50	60 00
“ douglasi tr.	1 to 2 ft.	50	4 50	
“ “ tr.	3 to 4 ft.	75	6 50	
“ Japonica tr.	1 to 1½ ft.	50	4 00	35 00
“ “ alba tr.	10 to 12 in.	1 00	8 00	
“ latifolia tr.	2 to 3 ft.	60	5 00	40 00
“ macrophylla tr.	2 to 3 ft.	60	5 00	40 00
“ margaritæ tr.	2 to 2½ ft.	60	5 00	40 00
“ nicoudierti tr.	1 to 1½ ft.	1 00	8 00	
“ opulifolia . See Opulaster opulifolius .				
“ prunifolia plena tr.	1 ft.	50	4 50	40 00
“ “ tr.	1½ to 2 ft.	75		
“ thunbergi tr.	1 ft.	50	4 50	40 00
“ “ heavy, twice tr.	1½ to 2 ft.	1 00	7 50	65 00
“ tomentosa , Hardhack or Steeple-bush . tr.	2 to 3 ft.	50	4 00	
“ “ tr.	3 to 4 ft.	60	5 00	
“ vanhouttei tr.	1 to 1½ ft.	50	4 50	40 00
Staphylea trifolia , Bladder-nut tr.	1½ to 2 ft.	75		
Stephanandra flexuosa tr.	1½ to 2 ft.	75	6 50	60 00
Styrax americana , Storax tr.	1 to 1½ ft.	1 00		
Symphoricarpos occidentalis , Wolfberry . . . tr.	1 ft.	60	5 00	
“ “ tr.	2 to 2½ ft.	1 00	8 00	
“ racemosus , Snowberry . . . tr.	1 to 1½ ft.	50	4 00	
“ “ tr.	2 to 2½ ft.	75	5 00	
“ symphoricarpos (<i>S. vulgaris</i>), Coral-berry tr.	2½ to 3 ft.	50	4 00	30 00
Syringa chinensis , Chinese Lilac tr.	2 to 3 ft.	1 00	8 00	
“ persica , Persian Lilac tr.	2 to 3 ft.	1 00	8 00	
“ vulgaris alba , Common White Lilac . . tr.	6 to 12 in.	75	5 00	40 00
Vaccinium stamineum , Deerberr or Buckberry . tr.	6 to 8 in.	75	5 00	
Viburnum dentatum , Arrow-wood tr.	8 to 10 in.	75	6 00	50 00

SHRUBS, continued

	Height	Per 10	100	1,000
Viburnum dentatum tr.	1 to 1½ ft.	\$0 85	\$7 50	\$70 00
“ “ tr.	2 to 3 ft.	1 00	8 50	80 00
“ lentago , Sheep-berry tr.	6 to 12 in.	1 00	8 50	
“ molle , Soft-leaved Arrow-wood tr.	1 to 1½ ft.	1 00	8 50	
“ opulus , High-bush Cranberry tr.	1 ft.	60	5 00	
“ “ tr.	1½ to 2½ ft.	1 00	8 50	
Weigelia. See Diervilla.				
Xanthorrhiza apiifolia , Yellow-root . . . 2 years, tr.		50	3 00	25 00
“ “ strong, 3 years, tr.		75	6 00	50 00
Xolisma ligustrina (<i>Andromeda ligustrina</i>), Privet Andromeda tr.	1 to 1½ ft.	50	4 50	40 00

VINES

	Height	Per 10	100	1,000
Actinidia arguta tr.	2½ to 3½ ft.	\$1 50		
Akebia quinata , Five-leaved Akebia tr.	2½ to 4 ft.	50	\$4 00	\$35 00
Ampelopsis . See Parthenocissus .				
Berchemia racemosa , Japanese Supplejack . . . tr.	1 ft.	1 00	8 50	
Bignonia crucigera (<i>B. capreolata</i>), Cross-vine . tr.	1 to 1½ ft.	75	5 50	
Brunnichia cirrhosa , Brunnichia 3 years, tr.		1 00	8 50	
Celastrus articulatus , Japanese Staff Vine . . tr.	3 to 4 ft.	75	6 50	
“ paniculatus tr.	2 to 3 ft.	75	6 50	60 00
“ scandens , Shrubby or Climbing Bitter-sweet tr.	1 to 1½ ft.	50	4 75	
“ “ tr.	2 to 3 ft.	75	6 50	60 00
Clematis apiifolia , Parsley-leaved Clematis, 3 yrs., tr.		1 00	8 50	
“ stans . See Herbaceous Plants , etc.				
Dolichos . See Pueraria .				
Euonymus radicans . See under Shrubs .				
Gelsemium sempervirens , Yellow Jessamine . . tr.	2 to 3 ft.	1 00	8 50	
Hedera helix , English Ivy pots	1 ft.	50	4 00	35 00
Kadsura Japonica 3 years, tr.		75	5 00	45 00
Kraunhia chinensis (<i>Wistaria chinensis</i>), Chinese Wistaria tr.	1 ft.	50	4 50	
“ “ tr.	3 to 4 ft.	1 00	7 50	
“ frutescens (<i>Wistaria frutescens</i>), American Wistaria tr.	1½ to 2 ft.	75	6 00	
Lonicera chinensis , Purple Honeysuckle . . . tr.	1½ to 2½ ft.	75	5 00	40 00
“ japonica , Japanese Honeysuckle . . . tr.	1 ft.		2 50	20 00
“ “ 2 yrs., tr.	1½ to 2½ ft.	50		
“ sempervirens , Trumpet or Coral Honeysuckle tr.	1½ to 2½ ft.	50	4 00	
“ “ tr.	3 to 4 ft.	60	5 00	
“ sullivanti , Sullivant's Honeysuckle . . tr.	2 to 3 ft.	1 00	8 50	
For other species, see Shrubs .				
Lycium . See Shrubs .				
Parthenocissus quinquefolia (<i>Ampelopsis quinquefolia</i>), Virginia Creeper 3 yrs., tr.		50	4 00	
Periploca græca , Silk Vine tr.	2 to 4 ft.	1 00	7 50	
Pueraria thunbergiana (<i>Dolichos Japonicus</i>), Kudzu Vine 3 yrs., tr.		2 50		
Roses , climbing. See Shrubs .				
Smilax bona-nox , Bristly Greenbrier tr.	1 to 1½ ft.	1 25	10 00	
“ hispida , Hispid Greenbrier tr.	1 ft.	1 25	10 00	
“ rotundifolia , Catbrier tr.	1 ft.	1 25	10 00	
Tecoma radicans (<i>Bignonia radicans</i>), Trumpet Flower tr.	2 to 4 ft.	1 00	8 50	
Vitis baileyanus , Bailey's Grape S.	1 to 1½ ft.	50	4 00	
“ cordifolia , Chicken or Frost Grape S.	1 to 1½ ft.	50	4 00	30 00
“ labrusca , Fox Grape tr.	2 to 2½ ft.	1 00	8 50	
“ “ tr.	4 to 6 ft.	1 25	10 00	
Wistaria . See Kraunhia .				

Herbaceous Plants, Grasses and Bamboos

	Per 10	100	1,000
Achillea millefolium , Milfoil field-grown	\$0 35	\$2 50	\$20 00
Adiantum pedatum , Maidenhair Fern field-grown	35	2 50	20 00
Aquilegia cærulea alba , White Columbine tr. seedlings	1 00	7 50	60 00
Artemisia abrotanum , Southernwood field-grown	1 00		
Arundinaria auricoma , Golden-variegated Cane clumps	3 50	30 00	
“ fortunei , Silver-variegated Cane clumps	3 50	30 00	
“ japonica (<i>Bambusa Metake</i>), Japanese Cane strong clumps	3 50	30 00	200 00
“ macrosperma , Large American Cane . strong clumps	2 75	20 00	150 00
“ simoni , Large Chinese Cane strong clumps	3 50	30 00	
“ tecta , Small American Cane strong clumps	2 75	20 00	150 00
Arundo donax , Great Reed clumps	1 00	7 50	70 00
“ “ extra heavy clumps	2 00	15 00	100 00
Aspidium . See Dryopteris .			
Aster novæ-angliæ , New England Aster field-grown	1 00		
Bamboos . See Arundinaria , Bambusa and Phyllostachys .			
Bambusa palmata , Veiny-leaved Bamboo strong clumps	3 50	30 00	200 00
“ tessellata , Large-leaved Bamboo strong clumps	3 50	30 00	
“ veitchi strong clumps	3 50	30 00	
Belamcanda . See Gemmingia .			
Bocconia cordata , Japanese Bocconia field-grown	75	5 00	
Carex japonica field-grown	1 00	7 50	
Castalia tuberosa (<i>Nymphæa tuberosa</i>), White Water Lily strong tubers	2 50	22 50	
Ceratostigma plumbaginoides (<i>Plumbago larpenæ</i>), Leadwort field-grown	1 00	8 50	
Clematis apiifolia . See Vines .			
Clematis stans field-grown	1 50		
Convallaria majalis , Lily-of-the-Valley field-grown	50	3 00	27 50
Desmodium penduliflorum . See Lespedeza .			
Digitalis purpurea , Purple Foxglove field-grown	1 00	7 50	
Dryopteris acrostichoides (<i>Aspidium acrostichoides</i>), Christmas Fern nursery-grown	75	5 00	45 00
“ marginalis (<i>Aspidium marginale</i>), Evergreen Wood-Fern nursery-grown	75	5 00	
Elymus glaucus , Smooth Wild Rye field-grown	1 00	7 50	
Eulalia . See Miscanthus .			
Funkia ovata (<i>F. lanceolata</i>) field-grown	1 00	7 50	
Gemmingia chinensis (<i>Belamcanda</i> and <i>Pardanthus chinensis</i>), Blackberry Lily field-grown	50	3 00	
Gillenia . See Porteranthus .			
Helianthemum polifolia field-grown	50	4 50	40 00
“ vulgare , Rockrose field-grown	50	4 50	
Helianthus dowellianus , Dowell's Sunflower field-grown	1 00	7 50	50 00
“ longifolius , Long-leaved Sunflower field-grown	1 00	7 50	
Hemerocallis dumortieri , Dwarf Day Lily field-grown	1 00	7 50	
“ fulva , Day Lily field-grown	50	3 00	27 50
“ thunbergi , Thunberg's Day Lily field-grown	1 00	7 50	
Hypericum sphærocarpum , Round-podded St. John's-wort field-grown	1 00		
For other species, see Shrubs .			
Iberis sempervirens , Hardy Candytuft 1 yr., tr.	1 00	8 50	75 00
Iris cristata , Crested Dwarf Iris strong, field-grown	50	3 00	25 00
“ germanica , Fleur-de-lis strong, field-grown	50	3 50	30 00

HERBACEOUS PLANTS, GRASSES, ETC., continued

	Per 10	100	1,000
Iris laevigata (<i>I. kœmpferi</i>), Japanese Iris . . . strong, field-grown	\$0 50	\$3 00	\$25 00
“ lutescens , Yellow-flowered Iris strong, field grown	1 00	8 00	
“ missouriensis , Western Blue Flag strong, field-grown	1 00	7 50	
“ pumila , European Dwarf Iris strong, field-grown	50	3 00	25 00
“ siberica , Siberian Iris strong, field-grown	50	3 00	25 00
“ verna , American Dwarf Iris strong, field-grown	50	3 00	25 00
“ versicolor , Large Blue Flag strong, field-grown	50		
Lespedeza japonica , White-flowered Lespedeza 1 yr., tr.	1 00	7 50	60 00
“ 3 yrs., tr.	1 50	10 00	
“ sieboldi (<i>Desmodium penduliflorum</i>), Siebold's Lespedeza 1 yr., tr.	75	6 00	50 00
“ 3 yrs., tr.	1 00	7 50	60 00
Liriope graminifolia (<i>Ophiopogon spicatus</i>), Purple-flowered Snake-beard	1 00	8 50	
Lysimachia clethroides strong, field-grown	50	4 00	
“ nummularia , Moneywort 4-inch clumps	1 25	10 00	
“ 1 yr., tr.	50	4 00	30 00
Marshallia grandiflora , Large-flowered Marshallia . . field-grown	1 50	12 50	
“ mohri , Mohr's Marshallia field-grown	1 50		
“ trinervia , Broad-leaved Marshallia field-grown	1 50		
Miscanthus japonicus (<i>Eulalia japonica</i>) clumps	75	5 00	40 00
“ sinensis (<i>Eulalia gracillima univittata</i>) . . . clumps	75	5 00	40 00
Monarda didyma , Oswego Tea field-grown	1 00	7 50	
Nelumbo nelumbo (<i>Nelumbium speciosum</i>), Indian Lotus strong tubers	5 00	45 00	
Nymphæa . See Castalia .			
Ophiopogon . See Liriope .			
Pachysandra procumbens , Alleghany Mountain Spurge field-grown	75	5 50	
“ terminalis , Japanese Spurge field-grown	75	5 50	50 00
Pæonia , Peony, Herbaceous mixed varieties . . 6 yrs., field-grown	1 75	15 00	
Pardanthus . See Gemmingia .			
Phlox amplifolia , Large-leaved Phlox field-grown	1 50	10 00	
“ hentzi , Southern Moss Pink field-grown	1 50	10 00	
“ reptans , Crawling Phlox field-grown	50	4 50	40 00
“ subulata , Ground or Moss Pink field-grown	50	4 50	40 00
Phragmites phragmites (<i>P. communis</i>), Reed . . . strong roots	1 00	8 50	
Plumbago . See Cerastostigma .			
Phyllostachys aurea , Yellow Bamboo . . . strong clumps, each \$1.			
“ kumasasa (<i>Bambusa viminialis</i>), Ruscus-leaved Bamboo strong clumps, each, 65 cts.			
“ mitis , Tall Bamboo . . . strong clumps, each, \$1.			
“ marliacea , Marliac's Bamboo, strong clumps, ea., \$1.			
Porteranthus trifoliatu s (<i>Gillenia trifoliata</i>), Indian Physic or Bowman's Root field-grown	1 00	8 50	
Potentilla fruticosa . See Shrubs .			
“ tridentata , Three-toothed Cinquefoil . strong, field-grown	60	5 00	40 00
Ranunculus repens , Creeping Buttercup . . . strong, field-grown	75	5 00	
Rudbeckia , Golden Glow strong, field-grown	75	4 00	
Sedum spectabile , Large-flowered Orpine . . strong, field-grown	75	5 00	45 00
Solidago rigida strong, field-grown	75		
Tanacetum vulgare crispum , Tansy strong, field-grown	50	4 50	40 00
Thymus vulgare , Thyme strong, field-grown	1 00	8 50	
Tradescantia montana , Spiderwort strong, field-grown	50	4 50	40 00
“ reflexa , Reflexed Spiderwort . . strong, field-grown	50	4 50	
Veronica rupestris field-grown	50	4 50	
Yucca filamentosa , Adam's Needle 1 yr., tr.	50	3 00	27 50

